

HP PageWide Enterprise Color Flow MFP 785zs



The new printing paradigm

Modern business demands forward-thinking technology – it's why HP engineered the next generation of HP PageWide Enterprise to deliver a competitive edge from every angle: HP's lowest colour cost,¹ maximum uptime, and the HP's strongest security.²



Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. Learn more at: <http://www.hp.com/go/learnaboutsupplies>

The HP's lowest cost for colour¹

- Get the quality you expect with HP PageWide Technology that delivers the HP's lowest cost per colour page.¹
- Print more pages and replace cartridges less often with optional high-yield cartridges.³
- Print even faster – and save even more per page – by setting this printer to General Office mode.⁴
- Help keep energy costs down with the HP's most efficient MFP in its class.⁵

Minimal interruptions. Maximum uptime.

- Minimise interruptions with an HP PageWide device designed for the least maintenance in its HP class.⁶
- Print speeds as fast as 75 ppm in colour and black-and-white.⁷
- Tailor this MFP to the needs of your business with a wide range of paper-handling accessories.
- Scan files directly to Microsoft® Office 365 and SharePoint, plus email, USB, and network folders.⁸

The HP's most secure printing²

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Protect information on the MFP and in transit over the network, and store data on the encrypted hard disk.⁹
- Monitor activity to detect and stop attacks, then automatically reboot with run-time intrusion detection.
- Whitelisting checks firmware during startup to help ensure it's authentic, good code – digitally signed by HP.

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages – every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 200 pages into the automatic document feeder for fast, unattended scanning.



A3/11x17"
media handling



Color touchscreen



HP PageWide
Technology



2-sided printing

Product walkaround

HP PageWide Enterprise Color Flow MFP 785zs shown

1. 20.3 cm (8.0-inch) pivoting colour touchscreen
2. Hardware Integration Pocket
3. Easy-access USB printing port
4. 100-sheet multipurpose tray 1 supports media up to 305 x 457 mm (12 x 18 inches)
5. 550-sheet tray 2 supports media up to 297 x 432 mm (11.7 x 17 inches)
6. 3x550 sheet paper tray supports media up to 297 x 432 mm (11.7 x 17 inches)
7. 200-sheet ADF with single-pass, two-sided scanning
8. 297 x 432 mm (11.7 x 17 inches) flatbed scanner
9. Retractable keyboard
10. 350-sheet inner finisher with stapler
11. 500-sheet output bin
12. Front door access to cartridges
13. Automatic two-sided printing
14. Host USB port, Ethernet network port, Hi-speed USB 2.0 printing port



Accessories, Supplies and Support

| | |
|----------------------------|-------------------------------------------------------------------------------------------------------------------------|
| Accessories | TOB26A HP 982A Black Original PageWide Cartridge ~10,000 pages |
| | TOB23A HP 982A Cyan Original PageWide Cartridge ~8,000 pages |
| | TOB24A HP 982A Magenta Original PageWide Cartridge ~8,000 pages |
| | TOB25A HP 982A Yellow Original PageWide Cartridge ~8,000 pages |
| | TOB30A HP 982X High Yield Black Original PageWide Cartridge ~20,000 pages |
| Supplies | TOB27A HP 982X High Yield Cyan Original PageWide Cartridge ~16,000 pages |
| | TOB28A HP 982X High Yield Magenta Original PageWide Cartridge ~16,000 pages |
| | TOB29A HP 982X High Yield Yellow Original PageWide Cartridge ~16,000 pages |
| | U9R6E HP 3 year Next Business Day Service with Defective Media Retention for PageWide Colour 78x |
| Service and support | U9R7E HP 4 year Next Business Day Service with Defective Media Retention for PageWide Colour 78x |
| | U9R8E HP 5 year Next Business Day Service with Defective Media Retention for PageWide Colour 78x |
| | U9RK5PE HP 1 year Post Warranty Next Business Day Service with Defective Media Retention for PageWide Colour 78x |
| | U9RK6PE HP 2 year Post Warranty Next Business Day Service with Defective Media Retention for PageWide Colour 78x |

Technical specifications

| | |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Model | HP PageWide Enterprise Color Flow MFP 785zs |
| Product number | J7Z12A |
| Functions | Print, copy, scan, fax |
| Control panel | 20.3 cm (8.0 in) Colour Graphics Display (CGD) with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket |
| Print | |
| Print technology | HP PageWide Technology |
| Print speed ¹ | Black (A4, ISO): Up to 55 ppm; Colour (A4, ISO): Up to 55 ppm; Black (A4, duplex): Up to 38 ppm; Colour (A4, duplex): Up to 38 ppm; Black (General Office): Up to 75 ppm; Colour (General Office): Up to 75 ppm |
| First page out ² | Black (A4, ready): As fast as 7.1 sec; Colour (A4, ready): As fast as 7.1 sec; Black (A4, sleep): As fast as 17.4 sec; Colour (A4, sleep): As fast as 17.4 sec |

| | |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Model | HP PageWide Enterprise Color Flow MFP 785zs |
| Product number | J7Z12A |
| Print resolution | Black (best): Up to 1200 x 1200 optimised dpi from 600 x 600 input dpi (on Unspecified, Plain, HP Premium Presentation Matte, and HP Brochure Matte); Colour (best): Up to 2400 x 1200 optimised dpi from 600 x 600 input dpi (on HP Advanced Photo Papers) |
| Monthly duty cycle | Up to 125,000 pages (A4); Recommended monthly page volume: 2,500-25,000 |
| Printer smart software features | HP SureStart; Run-time Intrusion detection; Whitelisting; HP Trusted Platform Module; HP JetAdvantage Security Manager; HP Web Jetadmin; Open Extensibility Platform; FutureSmart Firmware; HP ePrint; Apple AirPrint™; HP Auto-On/Auto-Off technology; HP Colour Access Control; HP EasyColour; Front-facing USB printing; Store print jobs; Print preview; Automatic two-sided printing; Print multiple pages per sheet (2, 4, 6, 9, 16); Collation; Booklet printing; Cover pages; Tray selection; Scaling; Portrait/landscape orientation; High Quality Grayscale and Black Ink Only; General Office/Professional/Presentation dpi print modes; Optional: HP and third party extensibility solutions; Wireless |
| Standard print languages | HP PCL 6; HP PCL 5c; HP postscript level 3 emulation; PDF 1.7 |
| Fonts and typefaces | 105 internal TrueType fonts scalable in HP PCL; 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts |
| Print area | Print margins: Top: 4.23 mm (Default), 2 mm Edge-to-Edge mode, Bottom: 4.23 mm (Default), 2 mm Edge-to-Edge mode, Left: 4.23 mm (Default), 2 mm Edge-to-Edge mode, Right: 4.23 mm (Default), 2 mm Edge-to-Edge mode |
| Print cartridges number | 4 (1 each black, cyan, magenta, yellow) |
| Multitasking supported | Yes |
| Memory card compatibility | 144-pin DDR3 DIMM |
| Copy speed | Black (A4, ISO): Up to 55 cpm; Colour (A4, ISO): Up to 55 cpm |
| Copier specifications | Two-sided copying, scalability, image adjustments (darkness, contrast, background cleanup, sharpness), N-up, N or Z-ordering, content orientation, collation, booklet, ID Scan, job build, edge-to-edge, job storage; Maximum number of copies: Up to 9999 copies; Copy resolution: Up to 600 x 600 dpi; Reduce/Enlarge: 25 to 400% |
| Copier smart software features | Auto scale; Reduce/enlarge from scanner glass (25 to 400 percent); Collate; Auto colour detection; Two-sided copying; Image adjustments (darkness, background cleanup, sharpness); Job build |
| Scan speed | Normal (A4): Up to 120 ipm simplex and up to 240 ipm duplex; Duplex (A4): Up to 120 ipm simplex and up to 240 ipm duplex |
| Scan file format | Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht) |
| Scanner specifications | Scanner type: Flatbed, ADF Scan technology: Charge Coupled Device (CCD) and Contact Image Sensor (CIS); Scan input modes: Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB; Save to Device Memory; Save to SharePoint; Open Extensibility Platform (OXP) applications; Twain version: Version 2.1; Duplex ADF scanning: Yes, single-pass duplexing ADF; Optical scan resolution: Up to 600 ppi |
| Scanner Advanced Features | Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR), Auto crop to page; Auto-tone |
| Recommended monthly scan volume | 2,000 to 75,000 |
| Scannable area | Minimum media size (ADF): 68 x 148 mm; Maximum media size (ADF): 297 x 432 mm; Up to 297 x 1000 mm when "long scan size" selected |
| Bit depth/ Grey scale levels | 24-bit / 256 |
| Digital sending | Standard: Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF |
| Fax ³ | 33.6 kbps |
| Fax specifications | Fax memory: Up to 500 pages; Fax resolution: Standard: 204 x 98 dpi; Fine: 204 x 196 dpi; Quick dialing: Up to 1000 numbers (each with 210 destinations); |
| Fax smart software features | Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule |
| Processor speed | 1.2 GHz |
| Connectivity | |
| Standard | 2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Wireless 802.11b/g/n; 1 Bluetooth Low Energy; 1 RJ-11 modem port/phone line |
| Optional | HP Jetdirect 3000w NFC/Wireless Accessory J8030A, HP Jetdirect 2900nw Print Server J8031A |
| Wireless | Yes, built-in Wi-Fi 802.11b/g/n |
| Mobile printing capability | HP ePrint, Apple AirPrint™, Google Cloud Print |
| Supported network protocols | IPv4/IPv6: Apple Bonjour Compatible (Mac OS v10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print |
| Network capabilities | Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard) |
| Memory | Standard: 5632 MB; Maximum: 5632 MB |
| Paper handling | |
| Number of paper trays | Standard: 5 trays |
| Media types | Paper (Plain, Inkjet, Inkjet Brochure/Glossy), Photo Paper, Envelopes, Labels, Cards |
| Media size | Custom (metric): Tray 1: 99.1 x 127 to 304.8 x 457.2 mm; Tray 2-5: 210.1 x 148.1 to 297.2 x 431.8 mm; HCl Trays 3 & 4: A4 Supported (metric): Tray 1: RA3, A3, 8K, B4 (JIS), SRA4, RA4, A4, A4-R, 16K, 16K-R, A5, A5-R, B5 (JIS), B5 (JIS)-R, B6 (JIS), A6; Trays 2-5: A3, 8K, B4 (JIS), SRA4, RA4, A4, A4-R, 16K, 16K-R, A5, A5-R, B5 (JIS), B5 (JIS)-R, B6 (JIS), A6; HCl Trays 3 & 4: A4 ADF: A3, Ledger, B4-JIS, A4, B5-JIS, A5, B6-JIS, A6 |
| Media handling | Standard input: 100-sheet multipurpose tray, 4,550-sheet input trays Standard output: 500-sheet output bin, 350-sheet stapler stacker Optional input: 1 x 550/tray (A3/A4), 1 x 550/stand (A3/A4), HCl (2 x 2,000 sheet A4) ADF: 200 sheets, 75 g/m ² |

| | |
|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Model | HP PageWide Enterprise Color Flow MFP 785zs |
| Product number | J7Z12A |
| Media weight | Tray 1: 60-220 g/m ² , 300 g/m ² Photo Paper only; Trays 2-5: 60-220 g/m ² ; HCl trays 3 & 4: 60-220 g/m ² ; ADF : 45 to 199 g/m ² |
| Input capacity | Standard : Up to 2,300 sheets (MP: Up to 100 sheets; Tray 2: Up to 550 sheets; 3 x 550: Up to 1,650 sheets) Maximum : Up to 4,650 sheets ADF : 200 sheets, 75 g/m ² |
| Output capacity | Standard : Up to 850 sheets Maximum : Up to 850 sheets |
| Software included | HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to http://www.123.HP.com or OS App Source for printer software), online user manuals |
| Security management | Identity Management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and third-party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-Shared Key, and Kerberos authentication, Supports WJA-10 IPsec configuration Plug in, 802.1X authentication (EAP-PEAP, EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List, HP Trusted Platform Module (TPM) comes standard; Data: Storage Encryption, Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft), Secure Erase, SSL/TLS (HTTPS), Encrypted Credentials; Device: Security lock slot, USB port disablement, Hardware Integration Pocket for security solutions, 18 Intrusion Detection with Red Balloon Security Technology (Constant in-device monitoring for attacks), HP Sure Start Secure Boot (BIOS integrity checking with self-healing capability), Whitelisting (loads only known good code (DLLs, EXEs, etc.); Security Management: Compatible with HP JetAdvantage Security Manager; 21 Device Security Syslog Messages processed and accessible in ArcSight and Splunk SIEMs; For more security settings go to http://h10032.www1.hp.com/ctg/Manual/c03602120 |
| Printer management | HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver |
| Dimensions and Weight | |
| Printer dimensions (W x D x H) | Minimum : 813 x 616 x 1223 mm; Maximum : 896 x 718 x 1223 mm |
| Package dimensions (W x D x H) | 790 x 760 x 1500 mm |
| Printer weight | 123 kg |
| Package weight | 141 kg |
| Operating environment | Temperature : 15 to 30°C; Humidity : 30 to 70% RH |
| Storage | Temperature : Before initial setup (non-purged): -40 to 60°C; After initial setup (purged): 0 to 60°C. If stored below the lowest specified operating temperature, unit must slowly warm up to an approved operating temperature (HP recommends waiting 24 hours at approved operating temperature prior to using the printer). Humidity : 10 to 80% RH |
| Acoustics | Acoustic power emissions : 6.6 B(A); |
| Power | Requirements : Input voltage: 100 to 240 VAC, 50/60 Hz; Consumption : 660 watts (print/copy), 42 watts (ready), 1.6 watts (sleep), 0.2 watts (auto-off), 0.2 watts (off); Typical Electricity Consumption (TEC) : Blue Angel: 1.96 kWh/Week; Energy Star: 2.02 kWh/Week; Power supply type : Internal (Built-in) power supply |
| Energy savings feature technology | HP Auto-on/Auto-off Technology |
| Certifications | EN 301 489-1 v2.1.1, EN 301 489-17 v3.1.1 ENERGY STAR® certified; Blue Angel; EPEAT (Silver) |
| Compatible operating systems | Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS mac, OS 10.12 Sierra, OS X 10.11 El Capitan, OS X 10.10 Yosemite, UNIX, Windows 10 all 32/64-bit editions (excluding RT OS for Tablets), Windows 7 all 32/64-bit editions, Windows 8/8.1 all 32/64-bit editions (excluding RT OS for Tablets), Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.) |
| Minimum system requirements | Windows : 2 GB available hard disk space; OS hardware requirements see http://www.microsoft.com ; Mac : 1.3 GB available hard drive space; Internet; OS hardware requirements see http://www.Apple.com for more info |
| Country of origin | Made in Netherlands |
| What's in the box | HP PageWide Enterprise Colour Flow MFP 785zs; HP Setup Ink Cartridges (yield after setup ~8,000 pages CMY and 10,000 Black); Installation guide; Support flyer; Documentation on CD-ROM; Power cord |
| Warranty | One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region. |

Footnotes

¹ HP's lowest cost per colour page claim applies to devices that are not sold under contract: Comparison of HP PageWide A3 devices with the majority of HP colour ink/laser MFPs (€3,000-€7,499), and colour ink/laser single function printers (€1,500-€2,999) as of January/February 2017. Cost per page (CPP) reported by gap intelligence Pricing & Promotions Report January/February 2017, comparisons for devices/supplies not sold under contract are based on published specifications of the manufacturers' highest-capacity cartridges, inclusive of long life consumables and page yield. Average HP yield based on ISO/IEC 24711 and continuous printing in default mode. Actual yield varies based on content of printed pages and other factors. For more information, see <http://www.hp.com/go/learnaboutsupplies>.

² Based on HP review of 2016 published security features of HP in-class printers. HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot.

³ High-yield cartridges are not included in printer purchase; purchase separately. Comparison is based on ISO 24711 cartridge yields for HP 982X series High-Yield Original PageWide Cartridges compared with HP 982A series Original PageWide Cartridges. Learn more at <http://www.hp.com/go/learnaboutsupplies>

⁴ Comparison based on printing in Professional Mode.

⁵ Energy claim based on TEC data reported on energystar.gov as of March 2017. Data normalised to determine energy efficiency of HP in-class A3 colour laser printers (€1,500-€2,999) and MFPs (€3,000-€7,499) as of February 2017, excluding other HP PageWide products. Subject to device settings. Actual results may vary.

⁶ Fewer service parts claim based on BLI analysis of leading HP in-class A3 MFPs as of August 2016; calculations use publicly available and/or published manufacturer rated yields for long-life consumables and assume 600,000 pages printed (using a 60% black/40% colour ratio).

⁷ Comparison of HP PageWide A3 devices with the majority of HP in-class colour ink/laser MFPs (€3,000-€7,499), and colour ink/laser single function printers (€1,500-€2,999) as of April 2017. HP PageWide speeds based on General Office mode and exclude first page.

⁸ Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see <http://www.hpconnected.com>

⁹ Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at <http://www.hp.com/go/printsecurity>

¹⁰ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Technical specifications disclaimers

¹ ISO speeds measured using ISO/IEC 24734. Excludes first page or first set of ISO test pages. For details see <http://www.hp.com/go/printerclaims>.

² Exact speed varies depending on the system configuration, software application, driver and document complexity.

³ Based on standard ITU-T test image at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17.

⁴ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.



<http://www.hp.com/uk>

The product could differ from the images shown. © Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

