

MPN: MC-DP-HDMI-5004K

## 4K DisplayPort 1.4 - HDMI 2.0 Cable 5m

This high performance DisplayPort to HDMI digital HD cable enables you to convert DisplayPort signals to HDMI signals. It could be for transmitting HD video signals from a computer to a monitor with HDMI interface.

- Max. Resolution: 4K Ultra HD 2160p (60 Hz)
- Gold-Plated connectors
- Plug with lock for secure connections
- Signal Direction: DisplayPort to HDMI
- Support DisplayPort 1.2, backwards compatible with 1.1



## Specifications

| Features                              |                    |                          |
|---------------------------------------|--------------------|--------------------------|
| 3D                                    |                    | Y                        |
| AWG wire size                         |                    | 30                       |
| Bandwidth                             |                    | 18 MB/s                  |
| Cable length                          |                    | 5 m                      |
| Cable material                        |                    | Copper                   |
| Chipset                               |                    | SCDH60V                  |
| Connector 1                           |                    | DisplayPort              |
| Connector 1 form factor               |                    | Straight                 |
| Connector 1 gender                    |                    | Male                     |
| Connector 2                           |                    | HDMI                     |
| Connector 2 form factor               |                    | Straight                 |
| Connector 2 gender                    |                    | Male                     |
| Connector contacts plating            |                    | Gold                     |
| DisplayPort Content Protection (DPCP) |                    | Y                        |
| DisplayPort version                   |                    | 1.4                      |
| HDCP                                  |                    | Y                        |
| HDCP version                          |                    | 1.4/2.2                  |
| HDMI version                          |                    | 2.0                      |
| Jacket material                       |                    | Polyvinyl chloride (PVC) |
| Maximum refresh rate                  |                    | 60 Hz                    |
| Maximum resolution                    |                    | 4096 x 2160 Pixels       |
| Number of shielding layers            |                    | 3                        |
| Plug and Play                         |                    | Y                        |
| Product colour                        |                    | Black                    |
| Supported graphics resolutions        |                    | 4096 x 2160              |
| Supported video modes                 |                    | 2160p                    |
| Package dimensions                    |                    |                          |
|                                       | Depth (package,cm) | 17.7 cm                  |

|                           |                                    |                 |
|---------------------------|------------------------------------|-----------------|
| <b>Package dimensions</b> | <b>Gross Weight (Package, kg)</b>  | 0.32 kg         |
|                           | <b>Height (package,cm)</b>         | 5.3 cm          |
|                           | <b>Width (package,cm)</b>          | 20.6 cm         |
| <b>Packaging data</b>     | <b>Quantity per pack</b>           | 1 pc(s)         |
| <b>Product dimensions</b> | <b>Net Weight (Product, kg)</b>    | 0.25 kg         |
| <b>Sustainability</b>     | <b>Sustainability certificates</b> | RoHS, CE, REACH |
| <b>Vendor information</b> | <b>Brand Name</b>                  | MicroConnect    |
|                           | <b>Warranty</b>                    | 25 Year(s)      |

## Other images

