

# CHERRY G84-4400

Perfection for even the smallest of spaces!



Models may vary from the image shown

This compact keyboard is the perfect solution for users with only limited space available and low weight requirements. For example, applications in the banking sector, medical institutions or portable systems. Also suitable for 19-inch applications. This keyboard is perfectly suited for slim-line PCs and laptops and can be enhanced optimally with the numeric block G84-4700.

## FUNCTION AND PERFORMANCE

- Individual keys with Gold Crosspoint contacts (MX technology)
- Codeset 3 support (PS/2 connection only) e.g. for Unix computers
- Perfect key feeling
- High quality and compact 19' PC keyboard - space-saving and ergonomic
- High-quality keyboard for outstanding writing performance, fulfilling even the highest demands
- Extremely high service life of individual keys

## TECHNICAL DATA

Dimensions product without packaging:	11,1 in x 5,2 in x 1,02 in
Weight of product incl. packaging:	17.64 oz

Dimensions product incl. packaging:	12,4 in x 7,48 in x 1,18 in
Content of master carton (pieces):	10
Cable-length:	5.74 ft
Storage temperature:	-4 °F - 149 °F
Working temperature:	32 °F - 122 °F
Product approvals:	<ul style="list-style-type: none"><li>• cURus</li><li>• BSMI</li><li>• VDE</li><li>• VCCI</li><li>• UKCA</li><li>• CE</li><li>• China RoHS</li><li>• ICES-003 (Canada)</li><li>• FCC</li></ul>
Operating system:	<ul style="list-style-type: none"><li>• Windows 7</li><li>• Windows 8</li><li>• Windows 10</li><li>• Windows 11</li></ul>
Scope of delivery:	<ul style="list-style-type: none"><li>• Manual</li><li>• Keyboard</li><li>• USB to PS/2 adapter</li></ul>
Reliability:	MCBF > 10 Mrd. Betätigungen MTBF (90) > 169.300 Stunden
Service life per key (in million strokes):	20 mio. actuations
Switching characteristics:	tactile
Max. current consumption (mA) of keyboard:	16 mA
Keyboard format:	Compact (75%)
N-key rollover:	not specified
Anti-ghosting:	not specified
Key encryption:	no
Internal memory:	no
Actuating force (cN):	50 cN
Key labeling:	Laser etching

Palm rest:	Palm rest not available
USB hub:	no
Special key functions:	CHERRY Key
Illumination:	no
Status LEDs:	in housing
Key technology:	Mechanical
Switches:	CHERRY ML
Keycap material:	ABS

Model number:	ML4100
Warranty:	1 additional year voluntary limited manufacturers warranty

Errors, technical changes and delivery options reserved. Technical information refers only to the specification of the products. Properties are not guaranteed.

EAN & Part number	Switches	Color	Illumination	Layout
4025112062520 G84-4100LCMBE-2	CHERRY ML	black	no	BE (Belgium)
4025112081804 G84-4100LCMCD-2	CHERRY ML	black	no	CD (Canada)
4025112062537 G84-4100LCMCH-2	CHERRY ML	black	no	CH (Switzerland)
4025112062544 G84-4100LCMDE-2	CHERRY ML	black	no	DE (Germany)
4025112062568 G84-4100LCMES-2	CHERRY ML	black	no	ES (Spain)
4025112062575 G84-4100LCMEU-2	CHERRY ML	black	no	EU (USA+ €-Symbol)
4025112062582 G84-4100LCMFR-2	CHERRY ML	black	no	FR (France)
4025112062599 G84-4100LCMGB-2	CHERRY ML	black	no	GB (United Kingdom)
	CHERRY ML	black	no	IT (Italy)
4025112084430 G84-4100LCMPN-2	CHERRY ML	black	no	PN (PanNordic)
4025112076442 G84-4100LCMPO-2	CHERRY ML	black	no	PO (Portugal)
4025112077395 G84-4100LCMRB-2	CHERRY ML	black	no	RB (US / Cyrillic)
4025112061424 G84-4100LCMUS-2	CHERRY ML	black	no	US (USA)
4025112064784 G84-4100LCMXX-2	CHERRY ML	black	no	XX (unprinted)
4025112062483 G84-4100LCADE-2	CHERRY ML	black	no	DE (Germany)
4025112062490 G84-4100LCAFR-2	CHERRY ML	black	no	FR (France)
4025112062506 G84-4100LCAGB-2	CHERRY ML	black	no	GB (United Kingdom)
4025112067846 G84-4100LCAIL-2	CHERRY ML	black	no	

EAN & Part number	Switches	Color	Illumination	Layout
4025112062513 G84-4100LCAUS-2	CHERRY ML	black	no	US (USA)
	CHERRY ML	light-grey	no	BE (Belgium)
4025112041860 G84-4100LCMCH-0	CHERRY ML	light-grey	no	CH (Switzerland)
4025112027291 G84-4100LCMDE-0	CHERRY ML	light-grey	no	DE (Germany)
	CHERRY ML	light-grey	no	ES (Spain)
4025112038662 G84-4100LCMEU-0	CHERRY ML	light-grey	no	EU (USA+ €-Symbol)
4025112027314 G84-4100LCMFR-0	CHERRY ML	light-grey	no	FR (France)
4025112027307 G84-4100LCMGB-0	CHERRY ML	light-grey	no	GB (United Kingdom)
4025112038679 G84-4100LCMIT-0	CHERRY ML	light-grey	no	IT (Italy)
4025112059421 G84-4100LCMPL-0	CHERRY ML	light-grey	no	PL (Poland)
4025112084416 G84-4100LCMPN-0	CHERRY ML	light-grey	no	PN (PanNordic)
	CHERRY ML	light-grey	no	PO (Portugal)
	CHERRY ML	light-grey	no	RB (US / Cyrillic)
4025112027284 G84-4100LCMUS-0	CHERRY ML	light-grey	no	US (USA)
4025112060403 G84-4100LCMXX-0	CHERRY ML	light-grey	no	XX (unprinted)
4025112027253 G84-4100LCADE-0	CHERRY ML	light-grey	no	DE (Germany)
4025112048654 G84-4100LCAES-0	CHERRY ML	light-grey	no	ES (Spain)
4025112038631 G84-4100LCAEU-0	CHERRY ML	light-grey	no	EU (USA+ €-Symbol)
4025112027277 G84-4100LCAFR-0	CHERRY ML	light-grey	no	FR (France)

EAN & Part number	Switches	Color	Illumination	Layout
4025112027260 G84-4100LCAGB-0	CHERRY ML	light-grey	no	GB (United Kingdom)
4025112059919 G84-4100LCAIT-0	CHERRY ML	light-grey	no	IT (Italy)
4025112027246 G84-4100LCAUS-0	CHERRY ML	light-grey	no	US (USA)

Please contact your local CHERRY service and support teams or your CHERRY sales partners for versions available in your country.